

# Crystal Formation of Cu-Mn-containing oxides and oxyborates in bismuth-boron fluxes diluted by MoO<sub>3</sub> and Na<sub>2</sub>CO<sub>3</sub>

Evgeniya Moshkina<sup>1,2,\*</sup>, Yurii Seryotkin<sup>3,4</sup>, Asya Bovina<sup>1</sup>, Maxim Molokeev<sup>1,5,6</sup>,  
Evgeniy Eremin<sup>1,5</sup>, Nadejda Belskaya<sup>2</sup>, Leonard Bezmaternykh<sup>1</sup>

\*ekoles@iph.krasn.ru

<sup>1</sup>Kirensky Institute of Physics, Federal Research Center KSC SB RAS, Krasnoyarsk, 660036 Russia

<sup>2</sup>Siberian State Aerospace University, Krasnoyarsk, 660014 Russia

<sup>3</sup>V.S. Sobolev Institute of Geology and Mineralogy, SB RAS, 630090 Novosibirsk, Russia

<sup>4</sup>Novosibirsk State University, 630090 Novosibirsk, Russia

<sup>5</sup>Siberian Federal University, Krasnoyarsk, 660041, Russia

<sup>6</sup>Far Eastern State Transport University, Khabarovsk 680021, Russia

**Abstract** – The high-temperature crystallizing phases of fluxes (molten solutions) based on Bi<sub>2</sub>O<sub>3</sub>:MoO<sub>3</sub>=1:3 and diluted by Na<sub>2</sub>CO<sub>3</sub>, B<sub>2</sub>O<sub>3</sub> (under varying of Na<sub>2</sub>CO<sub>3</sub>:B<sub>2</sub>O<sub>3</sub>) and CuO and Mn<sub>2</sub>O<sub>3</sub> (0≤Mn<sub>2</sub>O<sub>3</sub>:CuO≤5) are studied. The conditions of the stable crystallization of Mn<sup>2+</sup><sub>1-x</sub>Cu<sub>x</sub>MoO<sub>4</sub>, Mn<sub>2</sub><sup>3+</sup>O<sub>3</sub>, Mn<sup>2+</sup>Mn<sub>2</sub><sup>3+</sup>O<sub>4</sub>, Mn<sup>2+</sup><sub>1-x</sub>Cu<sub>x</sub>Mn<sup>3+</sup>BO<sub>4</sub> and Mn<sup>2+</sup><sub>2-x</sub>Cu<sub>x</sub>Mn<sup>3+</sup>BO<sub>5</sub> have been found. The influence of MoO<sub>3</sub> and Na<sub>2</sub>CO<sub>3</sub> to the crystallization processes of Mn<sup>2+</sup>- and Mn<sup>3+</sup>-containing Mn<sup>2+</sup><sub>1-x</sub>Cu<sub>x</sub>MoO<sub>4</sub> and Mn<sup>2+</sup>Mn<sub>2</sub><sup>3+</sup>O<sub>4</sub> and Mn<sub>2</sub><sup>3+</sup>O<sub>3</sub> are clarified. The occurrence of the chemical bonds of these types at the crystallization of Mn-heterovalent Mn<sup>2+</sup><sub>1-x</sub>Cu<sub>x</sub>Mn<sup>3+</sup>BO<sub>4</sub> and Mn<sup>2+</sup><sub>2-x</sub>Cu<sub>x</sub>Mn<sup>3+</sup>BO<sub>5</sub> oxyborates is studied. Single crystal growth techniques of these oxyborates are suggested. The results of structural and magnetic characterization of some discussed compounds are presented.

**Keywords:** flux growth; single crystals; manganese cations; crystallization processes; ludwigites and warwickites.

## I. Introduction

Flux technique for growth of single crystals (or the molten solution technique) is a widely used technique for obtaining the high-quality samples of sufficient size [1-8]. Depending on the crystal-chemical properties of the compound to be synthesized in frameworks of this technique it is necessary to choose the solvent. The solvent determines the properties of the flux system (molten solution system).

Bismuth-boron fluxes are widely used for growing of the single crystals of a high quality of different compounds types. Some of the most bright and known examples are such structural types as garnets [6, 9], spinels [3, 10], huntites [6, 7, 11, 12]. Bismuth-boron fluxes are characterized by the low viscosity and low melting temperatures. That allows working with high-concentrated systems at growing, and obtaining the single crystals of high quality and of a large size.

The main idea of the present work is studying of the crystal formation in the bismuth-boron flux systems diluted by MoO<sub>3</sub> and Na<sub>2</sub>CO<sub>3</sub>, of Cu-Mn-containing oxides and oxyborates. The investigation of the high-temperature crystallizing phase dependence on the varying of the solute and solvent components and the determination of the optimum conditions for growing of Mn-heterovalent oxyborates with warwickite Mn<sup>2+</sup><sub>1-x</sub>Cu<sub>x</sub>Mn<sup>3+</sup>BO<sub>4</sub> and ludwigite Mn<sup>2+</sup><sub>2-x</sub>Cu<sub>x</sub>Mn<sup>3+</sup>BO<sub>5</sub> structures. It is supposed that the addition of the MoO<sub>3</sub> and Na<sub>2</sub>CO<sub>3</sub> components to the solvent could have special influence on the crystallization of

the compounds contained the transition metal cations. And this influence is caused by the possibility of the formation in such fluxes of compounds which could include these cations in different valence states.

The main difficulty of the oxyborates growth (with warwickite  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$  and ludwigite  $\text{Mn}^{2+}_{2-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_5$  structures) is the variable valence of the manganese cations. That is due to the thermal decomposition of the  $\text{Mn}_2\text{O}_3$  oxide in the 900–1100°C temperature range, which leads to the formation of  $\text{Mn}_3\text{O}_4$  oxide containing  $\text{Mn}^{2+}$  cations [13]. Divalent manganese from the flux can enter to the divalent copper subsystem that could significantly affect the magnetic and electrical properties of the synthesized compounds.

The work is composed in the next way: the high-temperature crystallizing phases of bismuth-boron fluxes, diluted by  $\text{MoO}_3$  and  $\text{Na}_2\text{CO}_3$ , are discussed; the data on the structure of the grown crystals and the magnetic characterization of some of the obtained compounds are being presented.

## II. Experimental details

The general form of the studied flux system could be presented as:

$$(100-n)\% \text{mass.} (\text{Bi}_2\text{Mo}_3\text{O}_{12} + p\text{B}_2\text{O}_3 + q\text{Na}_2\text{O}) + n\% \text{mass.} (r\text{CuO} + s\text{Mn}_2\text{O}_3) \quad (1)$$

Where  $n$  – is the concentration of the solute;  $p, q, r, s$  – are variable parameters. The flux systems with different combinations of these parameters are being studied.

The synthesis of the single crystals of the phases described below has been performed in framework of the flux (molten solution) technique at a spontaneous nucleation. Next, the general conditions of the single crystal synthesis from the fluxes with the coefficients  $p, q, r, s$  are presented.

The fluxes in a mass of 70–90 g were prepared at the temperature  $T=1100^\circ\text{C}$  in a platinum crucible with the volume  $V=100\text{ cm}^3$  by sequential melting of powder mixtures, first  $\text{Bi}_2\text{Mo}_3\text{O}_{12}$  and  $\text{B}_2\text{O}_3$ , then  $\text{Mn}_2\text{O}_3$  and  $\text{CuO}$ ; finally,  $\text{Na}_2\text{CO}_3$  (we use  $\text{Na}_2\text{O}$  in the system (1) taking into account the thermal decomposition of  $\text{Na}_2\text{CO}_3$  ( $\text{Na}_2\text{CO}_3 \rightarrow \text{Na}_2\text{O} + \text{CO}_2$ ) in the flux) was added in portions.

In the prepared fluxes the sequence of the crystallizing phases was studied. For each set of  $p, q, r, s$  parameters. The high-temperature crystallizing phases and the saturation temperatures of the fluxes were determined. After determination of these parameters the fluxes have been homogenized at temperature  $T=1100^\circ\text{C}$  for 3 hours, then the temperature was first rapidly reduced to  $(T_{\text{sat}}-10)^\circ\text{C}$  and then slowly reduced with a rate of 2–4°C/day. In 2–3 days, the growth was completed, the crucible was withdrawn from the furnace, and the flux was poured out. The grown single crystals were etched in a 20% water solution of nitric acid to remove the flux remainder.

### 2.1. $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{MoO}_4$ oxides

#### a. Crystal Growth

The fluxes with the value of the variable parameters of the system (1) –  $p=(0.3\div 2)$ ,  $q=(0.15\div 0.7)$ ,  $r=(0\div 1)$ ,  $s=(1\div 1.5)$  – have been studied. At the choice of the  $p, q, r, s$  the relation  $p>2q$  should takes place. In such fluxes the high-temperature crystallizing phase in a wide temperature range is  $\text{Mn}_{1-x}\text{Cu}_x\text{MoO}_4$  oxide. In this compound the cations of the

transition metals – manganese and copper – have 2+ valence states. As the relation between the parameters satisfies the  $p > 2q$  condition, the flux system (1) could be presented as:

$$(100-n)\%mass.(Bi_2Mo_3O_{12}+(p-2q)B_2O_3+qNa_2B_4O_7)+ \\ +n\%mass.(rCuO+sMn_2O_3) \quad (2)$$

Depending on the value of  $p$ ,  $q$ ,  $r$ ,  $s$  parameters the concentration was  $n=25\div38\%$ , the saturation temperature of the fluxes was  $T_{sat}=790\div910^\circ\text{C}$ .

Single crystals of manganese molybdenum oxide  $MnMoO_4$  (Figure 1a) and copper-manganese molybdenum oxide  $Mn_{1-x}Cu_xMoO_4$  (Figure 1b) with Mn:Cu=3:1 ratio have been obtained. The single crystals are transparent reddish-brown plates with the maximum size of  $1\times1.5\times0.4\text{ mm}^3$  – for manganese molybdenum oxide (Figure 1a, c). It is clear from Figure 1c that the adding of the copper has influence on the color of the single crystals – the color of Cu-containing samples gets darker. This observation is in agreement with the description of the  $CuMoO_4$  single crystals presented in [14].

The authors have considered necessary to show the picture of  $Mn_{1-x}Fe_xMoO_4$  single crystals in Figure 1c also. These crystals have been obtained from the similar flux, but instead of CuO oxide it contains  $Fe_2O_3$  oxide. The look comparison of the presented samples shows the influence of the substitutions on the color of the samples and the fact of the presence of divalent iron cations – the ability of the  $MoO_3$  to affect the iron valence state (not only manganese) in the studied fluxes.




Figure 1. Synthesized single crystal of  $Mn_{1-x}Cu_xMoO_4$ .

In agreement with (2) it is supposed that there is the formation of the bonds of  $Na_2B_4O_7$  compound in the flux; the condition  $p > 2q$  provides the absence of “free”  $Na_2O$  oxide.

### b. Crystal Structure of $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{MoO}_4$ oxides

X-ray patterns of  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{MoO}_4$  ( $x=0, 0.33$ ) and  $\text{Mn}^{2+}_{1-x}\text{Fe}_x\text{MoO}_4$  ( $x=0.25$ ) compounds have been obtained using D8 ADVANCE powder diffractometer (Cu-radiation, Vantec linear detector, the apertures  $-0.6$  mm, the step size of  $2\theta - 0.016$ , the counting time  $- 0.5$  sec, the angle range  $- 5-70$  ).

For the identification of the studied compounds the program Search-Match has been used. It was revealed that the studied compounds have the similar structure to  $\text{MnMoO}_4$ . No additional peaks corresponding to the impurities have been found. The lattice parameters have been calculated for two compounds  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{MoO}_4$  ( $x=0, 0.33$ ) and for one iron-substituted composition  $\text{Mn}^{2+}_{1-x}\text{Fe}_x\text{MoO}_4$  ( $x=0.25$ ). The results are presented in Table 1.

Table 1. The crystal structure parameters of  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{MoO}_4$  ( $x=0, 0.33$ ) and  $\text{Mn}^{2+}_{1-x}\text{Fe}_x\text{MoO}_4$  ( $x=0.25$ ) obtained by powder X-ray analysis.

Compound	$\text{MnMoO}_4$	$\text{Mn}_{0.67}\text{Cu}_{0.33}\text{MoO}_4$	$\text{Mn}_{0.75}\text{Fe}_{0.25}\text{MoO}_4$
Space group	$C2/m$	$C2/m$	$C2/m$
$a$ , Å	10.5020 (4)	10.4973 (1)	10.4807 (6)
$b$ , Å	9.5395 (4)	9.5309 (1)	9.5262 (8)
$c$ , Å	7.1599 (2)	7.1540 (9)	7.1452 (1)
$\beta$ , deg.	106.165 (2)	106.193 (1)	106.330 (4)
$V$ , Å <sup>3</sup>	688.95(4)	687.36 (3)	684.61 (6)

## 2.2. Manganese oxides: $\text{Mn}_2^{3+}\text{Mn}^{2+}\text{O}_4$ and $\text{Mn}_2^{3+}\text{O}_3$

### a. Crystal Growth

The study continued at the values of the variable parameters of the system (1):  $p=0.6$ ,  $q=(1\div 1.23)$ ,  $r=0$ ; the concentration was  $n=(13\div 14\%)$ . And the mass concentration of the  $\text{B}_2\text{O}_3$  oxide was two and more times bigger than the mass concentration of  $\text{Na}_2\text{O}$  oxide. This condition is necessary for presence of “free”  $\text{Na}_2\text{O}$  oxide in the flux along with  $\text{Na}_2\text{B}_4\text{O}_7$  borax. The studied flux system in this case is identical to the system (1). Taking into account the formation of the borax chemical bonds ( $\text{Na}_2\text{B}_4\text{O}_7$ ) the studied in this Paragraph system could be presented as:

$$(100-n)\% \text{mass.} (\text{Bi}_2\text{Mo}_3\text{O}_{12} + 0.3\text{Na}_2\text{B}_4\text{O}_7) + n\% \text{mass.} (\text{Mn}_2\text{O}_3 + t\text{Na}_2\text{O}) \quad (3)$$

In (3) the “free”  $\text{Na}_2\text{O}$  sodium oxide has been moved to the soluble to show the relation between  $\text{Mn}_2\text{O}_3$  and  $\text{Na}_2\text{O}$  oxides. In this system we will vary only  $t$  coefficient related to the quantity of “free”  $\text{Na}_2\text{O}$  (we are not taking into account  $\text{Na}_2\text{O}$  in borax). The investigation of the sequence of the high-temperature crystallizing phases in flux system (3) reveals the change the phases even at low quantity of “free”  $\text{Na}_2\text{O}$ . Along with  $\text{Mn}^{2+}\text{MoO}_4$  molybdenum oxide (at  $t=0.5$ ) it is observed the simultaneous crystallization of black isometric crystals with evident triangle edges. These crystals have been characterized as manganese oxide ( $2+$ ,  $3+$ )  $\text{Mn}_3\text{O}_4$  (Figure 2). So along with the compounds containing manganese only in divalent state there is crystallization of the oxide containing trivalent manganese.




Figure 2. Synthesized single crystal of  $\text{Mn}_2^{3+}\text{O}_3$ (a, b) and  $\text{Mn}_2^{3+}\text{Mn}^{2+}\text{O}_4$ (c, d).

The study of the influence of the  $\text{Na}_2\text{O}$  oxide to the crystallization in flux system (3) was continued by the increasing of the quantity of this oxide. At  $t=0.75$  the simultaneous crystallization of the  $(2+, 3+)$   $\text{Mn}_3\text{O}_4$  and  $(3+)$   $\text{Mn}_2\text{O}_3$  manganese oxides is observed. It means that the quantity of trivalent manganese increase with the increasing of the  $\text{Na}_2\text{O}$  concentration. Next at  $t=1$  the crystallization only of the phase of  $\text{Mn}_2\text{O}_3$  (Figure 2) is observed – all manganese in the crystallizing matter has the 3+ valence state due to the increasing of  $\text{Na}_2\text{O}$  oxide.

This Paragraph shows the role of the  $\text{Na}_2\text{O}$  oxide at the formation of the chemical bonds containing the ions of trivalent manganese in the flux experimentally. At the increasing of the sodium oxide content the part of trivalent manganese in crystallizing phase also increases. The authors suppose that this role could be reflected as an occurrence of the intermediate chemical bonds in the flux of the type:



In agreement with (4) all the manganese in the flux has the 3+ valence state if the  $t$  coefficient in (3) is equal to 1. This fact has been proved experimentally: at the ratio  $\text{Mn}_2\text{O}_3:\text{Na}_2\text{O}=1$  the crystallizing phase is  $\text{Mn}_2\text{O}_3$  manganese oxide – all the manganese has 3+ valence state. It should be noted that the attempts to obtain the crystals of  $\text{NaMnO}_2$

(delafossite structure type) were unsuccessful. So the occurrence of (4) chemical bonds is only hypothesis.

An important factors of the occurrence of the chemical bonds containing the manganese with 2+ and 3+ valence states are a competition between  $\text{Mn}^{2+}\text{MoO}_4$  molybdenum oxide and  $\text{NaMn}^{3+}\text{O}_2$  delafossite, and the relative manganese concentration in the flux. Since, if there is an excess of the manganese over the stoichiometry of  $\text{Mn}^{2+}\text{MoO}_4$  and  $\text{NaMn}^{3+}\text{O}_2$  the uncertainty of the manganese valence will appear. It is related to the thermal  $\text{Mn}_2\text{O}_3 \rightarrow \text{Mn}_3\text{O}_4$  decomposition.

#### b. Crystal Structure of $\text{Mn}_2^{3+}\text{Mn}^{2+}\text{O}_4$ and $\text{Mn}_2^{3+}\text{O}_3$ manganese oxides

As in the previous Paragraph the X-ray patterns of  $\text{Mn}_2^{3+}\text{Mn}^{2+}\text{O}_4$  and  $\text{Mn}_2^{3+}\text{O}_3$  oxides have been obtained using D8 ADVANCE powder diffractometer (Cu-radiation, Vantec linear detector, the apertures – 0.6 mm, the step size of  $2\theta$  – 0.016°, the counting time – 0.5 sec, the angle range – 5-70°).

For the identification of the studied compounds the program Search-Match has been used. It was revealed that the studied compounds have the similar structure to  $\text{Mn}_3\text{O}_4$  and  $\text{Mn}_2\text{O}_3$ , respectively. No additional peaks corresponding to the impurities have been found. The lattice parameters calculation results are presented in Table 2.

Table 2. The crystal structure parameters of  $\text{Mn}_2^{3+}\text{Mn}^{2+}\text{O}_4$  and  $\text{Mn}_2^{3+}\text{O}_3$  oxides obtained by powder X-ray analysis.

Compound	$\text{Mn}_2^{3+}\text{Mn}^{2+}\text{O}_4$	$\text{Mn}_2^{3+}\text{O}_3$
Space group	$I4_1/amd$	$I\bar{a}3$
$a$ , Å	5.76356 (11)	9.41625 (15)
$b$ , Å	5.76356 (11)	9.41625 (15)
$c$ , Å	9.46782 (20)	9.41625 (15)
$V$ , Å <sup>3</sup>	314.508 (13)	834.899 (41)

### 2.3. Oxyborates: $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$ and $\text{Mn}^{2+}_{2-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_5$

Valence states of manganese play an important role at the crystallization of Mn-heterovalent compounds. Among them the authors highlight the oxyborates with warwickite and ludwigite structures. The synthesis of the oxyborates with warwickite and ludwigite structures is the problem of high complexity. In these structures there is a simultaneous presence of the metal cations with valence states (2+ and 3+) or (2+ and 4+) and they demonstrate high sensibility of the physical properties to small changes of composition [15-19]. In oxyborates  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$  and  $\text{Mn}^{2+}_{2-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_5$  with warwickite and ludwigite structures, respectively, the manganese cations are in different valence states. So for synthesis of these compounds it is very important to study the influence of the solvent to the high-temperature crystallizing phase and its valent composition that was described in the previous parts of the present work.

#### a. Crystal Growth

The flux corresponding to the next system has been prepared for synthesis of  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$  oxyborates:



$$(100-n)\%mass.(Bi_2Mo_3O_{12}+1.53B_2O_3+0.7Na_2O)+ \\ +n\%mass.(rCuO+1.25Mn_2O_3+0.5B_2O_3) \quad (5)$$

In this system only the  $r$  parameter and concentration  $n$  have been varied. The others parameters –  $p$ ,  $q$  and  $s$  – have been fixed ( $p=1.53$ ,  $q=0.7$ ,  $s=1.25$ ). It was determined that the high-temperature crystallizing phase was  $Mn^{2+}_{1-x}Cu_xMn^{3+}BO_4$  oxyborate with warwickite structure for  $r=0\div1.25$  ( $n=28.8\div33.2\%$ , the saturation temperatures were  $T_{sat}=925\div885^\circ C$ ,  $T_{sat}$  decreased at an addition of copper oxide). It was shown that the value  $r=1.25$  corresponds to stability limit of warwickite phase. At  $r=1.25$  the simultaneous crystallization of the phases of warwickite and ludwigite is observed.

Under further increasing of  $r$  the only one crystallizing phase was  $Mn^{2+}_{2-x}Cu_xMn^{3+}BO_5$  ludwigite. The fluxes with  $r=1.25\div1.67$  have been studied ( $n=33.2\div35.5\%$ , the saturation temperatures were  $T_{sat}=870\div895^\circ C$ ).

Along with the system (5), for the synthesis of  $Mn^{2+}_{2-x}Cu_xMn^{3+}BO_5$  oxyborates the system with different ratio of solvent components has been studied:

$$(100-n)\%mass.(Bi_2Mo_3O_{12}+0.6B_2O_3+0.7Na_2O)+ \\ +n\%mass.(rCuO+0.5Mn_2O_3+0.5B_2O_3) \quad (6)$$

In comparison with the (5) it was possible to stabilize  $Mn^{2+}_{2-x}Cu_xMn^{3+}BO_5$  ludwigite phase by lesser quantity of the boron oxide by using (6) system. In (6) the  $r$  parameter has been varied in the range  $r=1\div2.5$  ( $n=21.6\div30.9\%$ , the saturation temperatures were  $T_{sat}=840\div910^\circ C$ ). The high-temperature crystallizing phase was  $Mn^{2+}_{2-x}Cu_xMn^{3+}BO_5$  oxyborate for all this range.

Single crystals of  $Mn^{2+}_{1-x}Cu_xMn^{3+}BO_4$  and  $Mn^{2+}_{2-x}Cu_xMn^{3+}BO_5$  oxyborates are black long prisms (Figure 3).




Figure 3. Synthesized single crystal of  $Mn^{2+}_{2-x}Cu_xMn^{3+}BO_5$  (a) and  $Mn^{2+}_{1-x}Cu_xMn^{3+}BO_4$  (b).

#### b. Crystal Structure of $Mn^{2+}_{2-x}Cu_xMn^{3+}BO_5$ and $Mn^{2+}_{1-x}Cu_xMn^{3+}BO_4$ oxyborates

A number of the solid solutions of  $Mn^{2+}_{1-x}Cu_xMn^{3+}BO_4$  oxyborate with warwickite structure with  $x=0.18$ ,  $0.33$ ,  $0.5$  has been obtained. These compounds have been characterized by powder X-ray diffraction. Along with the powder samples ( $x=0.18$ ,  $0.33$ ,  $0.5$ ) the structure of the single crystal warwickite sample obtained from the flux with the ratio  $Mn:Cu=2:1$  (the

case of simultaneous crystallization of the phases of warwickite and ludwigite) has been studied.

Four samples of  $\text{Mn}^{2+}_{2-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_5$  oxyborate with ludwigite structure at  $x = 1.5, 1.8, 2, 2.15$  have been obtained. The structure of these samples as for the warwickite compounds was studied by powder X-ray diffraction. Also, along with the powder samples the structure of the single crystal ludwigite sample obtained from the flux with the ratio  $\text{Mn}:\text{Cu}=2:1$  (the case of simultaneous crystallization of the phases of warwickite and ludwigite) has been studied.

Powder X-ray patterns were collected at room temperature with a Bruker D8 ADVANCE powder diffractometer ( $\text{Cu-K}\alpha$  radiation) and linear VANTEC detector. The angle range was  $5-90^\circ$ . The step size of  $2\theta$  was  $0.016^\circ$ , and the counting time was 0.3 s per step.

Table 3. The main experimental parameters and the results of the structure parameters refinement of  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$  ( $x = 1.5, 1.8, 2, 2.15$ ) oxyborates obtained by powder X-ray analysis.

$x$	0.5	0.33	0.18
Space group	$P2_1/n$	$P2_1/n$	$P2_1/n$
$a, \text{\AA}$	9.2878 (2)	9.2924 (2)	9.2942 (3)
$b, \text{\AA}$	9.5132 (3)	9.5246 (3)	9.5340 (3)
$c, \text{\AA}$	3.24444 (8)	3.24592 (8)	3.2473 (1)
$\beta, \text{deg.}$	90.808 (2)	90.786 (2)	90.778 (2)
$V, \text{\AA}^3$	286.64 (1)	287.26 (1)	287.72 (2)
$2\theta$ range, $^\circ$	5-90	5-90	5-90
$R_{\text{wp}}, \%$	2.11	1.97	2.39
$R_{\text{p}}, \%$	1.61	1.55	1.90
$R_{\text{B}}, \%$	1.23	0.78	0.58
$\chi^2$	1.22	1.11	1.05

No additional peaks corresponding to the impurities have been found in X-ray patterns of  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$  ( $x=0.18, 0.33, 0.5$ ) compounds. All the peaks belongs to the monoclinic phase ( $P2_1/n$ ) with the close parameters to  $\text{Mn}_2\text{BO}_4$  (warwickite) [20]. Therefore, this structure has been used as a start model for Rietveld refinement. The refinement has been realized using TOPAS 4.2 program [21]. The  $\text{Mn}/\text{Cu}$  ratio was not refined due to the proximity of the atomic scattering functions of these atoms. The refinement was stable and yielded the low factors of unreliability (Table 3). The unit cell volume increases from sample to sample (Table 3) that is in agreement with the table values of the ionic radii. That could indicate the proportionality of the copper content in the samples to the calculated value in the flux.

Prismatic crystal of  $(\text{Cu},\text{Mn})_2\text{BO}_4$  was selected to the single-crystal experiment. Diffraction data were collected under room conditions on an Oxford Diffraction Xcalibur Gemini diffractometer ( $\text{MoK}\alpha$  radiation, 0.5 mm collimator, graphite monochromator)



equipped with a CCD-detector. Data reduction, including a background correction and Lorentz and polarization corrections, was performed with the *CrysAlisPro* software. A semi-empirical absorption correction was applied using the multi-scan technique. The unit-cell metrics is monoclinic, space group  $P2_1/n$ . The structure was solved by the direct methods and refined in the anisotropic approach using SHELX-97 program package [22]. Studied compound is proved to be an analog of  $\text{Mn}_2\text{BO}_4$  warwickite [20]. The main crystal data are shown in Table 4. Refinement shows that final chemical formula is  $\text{Cu}_{0.085}\text{Mn}_{1.915}\text{BO}_4$ — it doesn't coincide to the proposed concentration  $x=0.66$  (Mn/Cu ratio in flux). That disagreement could be related to the unstable growth at a simultaneous crystallization of two phases (warwickite and ludwigite) at Mn:Cu=2:1.

Table 4. The crystal structure parameters of  $\text{Cu}_{0.085}\text{Mn}_{1.915}\text{BO}_4$  and  $\text{Cu}_{1.53}\text{Mn}_{1.47}\text{BO}_5$  [23] obtained by single crystal X-ray analysis.

Phase	$\text{Cu}_{0.085}\text{Mn}_{1.915}\text{BO}_4$	$\text{Cu}_{1.53}\text{Mn}_{1.47}\text{BO}_5$
Space group	$P2_1/n$	$P2_1/c$
$a$ , Å	9.2760(2)	3.13576(4)
$b$ , Å	9.4953(1)	9.40981(12)
$c$ , Å	3.2421(0)	12.05240(17)
$\beta$ , deg.	90.85(0)	92.1960(13)
$V$ , Å <sup>3</sup>	285.52(1)	355.368(8)

Table 5. The crystal structure parameters of  $\text{Mn}^{2+}_{2-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_5$  obtained by powder X-ray analysis.

$x$	1.5	1.8	2	2.15
Space group	$P2_1/c$	$P2_1/c$	$P2_1/c$	$P2_1/c$
$a$ , Å	3.14170(3)	3.14390(1)	3.14516(7)	3.14648(1)
$b$ , Å	9.40516(4)	9.39681(4)	9.38932(2)	9.38245(2)
$c$ , Å	12.02634(5)	12.02913(4)	12.02787(2)	12.02590(2)
$\beta$ , deg.	92.2634(2)	92.2601(2)	92.2498(1)	92.2452(1)
$V$ , Å <sup>3</sup>	355.079(2)	355.096(2)	354.921(1)	354.752(1)

X-ray diffraction study of powder samples of  $\text{Mn}^{2+}_{2-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_5$  have been carried out in the same experimental conditions as in the case of  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$ . The obtained results are presented in Table 5. Each studied compound is characterized by phase homogeneity. The unit cell volume has nonlinear dependence on the copper content: for the samples  $x=1.5$  and  $x=1.8$  the volume increases as for warwickite; but then it decreases despite the increasing the copper content. The decreasing of the cell volume could be related to the appearance of the tetravalent manganese in the crystal and/or slight changes of the character of monoclinic distortions. The X-ray studying of the structure of the  $\text{Mn}^{2+}_{2-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_5$  single crystal obtained from the flux with the ratio Mn:Cu=2:1 (the case of simultaneous crystallization of the phases of warwickite and ludwigite) has been done previously [23] and now presented in Table 4.

### c. Magnetic properties of $\text{Mn}^{2+}_{2-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_5$ and $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$ oxyborates

The study of crystallization presented in this work focuses on the investigation of the mechanisms and the intermediate chemical bonds in fluxes (1) aimed to synthesize the  $\text{Mn}^{2+}_{2-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_5$  and  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$  oxyborates with ludwigite and warwickite structures respectively. These compounds contain the manganese in different valence states and have quasi-low-dimensional structures formed by ribbons, zig-zag walls and three-leg ladders [16-20]. The unit cells of these compounds are characterized by high  $Z$  ( $Z=4$  for both structures) and by several nonequivalent positions of heterovalent magnetic cations (4 – for ludwigite structure and 2 – for warwickite structure). These structural features are of great influence to electrical and magnetic properties of ludwigites and warwickites [16-20].

For the additional describing of the synthesized compounds, the authors consider to be useful to present the data of the magnetic characterization of some  $\text{Mn}^{2+}_{2-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_5$  and  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$  oxyborates. Magnetization study has been performed using Physical properties measurements system PPMS-9 (QuantumDesign), at temperatures  $T=3\div 300$  K and magnetic field value up to 90 kOe.

Magnetization measurements have been performed on the single crystal of one of the synthesized  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$  ( $x=0.18$ ) oxyborate with warwickite structure. Thermal-field dependencies of magnetization obtained at the orientation of the external magnetic field along and across  $c$  axis are presented in Figure 4. As a result of experiment it was found that the synthesized warwickite, as the temperature decreases, passes from the paramagnetic state to antiferromagnetic state with ordering of magnetic moments in plane  $\perp c$ . It should be noted that there is no thermal irreversibility between the FC and ZFC curves occurs below a critical temperature, which allow suggesting the antiferromagnetic spin arrangement in  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$  ( $x=0.18$ ), that the same as for  $\text{Mn}_2\text{BO}_4$  [24]. The Neel temperature is  $T_N=23$  K. Small magnetizations and low paramagnetic Curie temperatures denote strong antiferromagnetic interaction ( $\theta_{\parallel}=-99$  K,  $\theta_{\perp}=-115$  K – the temperatures have been calculated using modified Curie-Weiss low approximation of the molar magnetic susceptibility [25] in the temperature range far from the phase transition point). Thermal dependencies of magnetization (Figure 4a) also denote the existence of one more phase transition at  $T=6$  K. This feature could be associated with reorientation of magnetic moments in plane  $\perp c$ .




Figure 4. (a) Thermal dependencies of magnetization of  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$  ( $x=0.18$ ) oxyborate with warwickite structure obtained at  $H=1$  kOe,  $H \parallel c$ ,  $H \perp c$  for FC (measurements of the magnetization at cooling at nonzero magnetic field) and ZFC (measurements of the magnetization at heating at nonzero magnetic field, after pre-cooling at zero magnetic field) regimes (inset (a): thermal dependencies of the reversal magnetic susceptibility at  $H=1$  kOe,  $H \parallel c$ ,  $H \perp c$ ). (b) Magnetic field dependencies of magnetization of  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$  ( $x=0.18$ ) oxyborate with warwickite structure obtained at  $T=3$  K,  $H \parallel c$ ,  $H \perp c$  (inset (b): derivative of the magnetization ( $H \perp c$ ) – presence of the maximum indicates the spin-flop transition,  $H_{sf}$  – spin-flop field).

The comparison of the data obtained for Cu-substituted warwickite with the properties of the “pure”  $\text{Mn}_2\text{BO}_4$  [24] revealed the change of the magnetic properties of this compound even at low substitution degree. In particular, it was observed the decreasing of the magnetic phase transition (paramagnet-antiferromagnet) temperature from  $T=26$  K to  $T=23$  K. The change of the behavior of FC and ZFC dependencies at the orientation of the magnetic field along  $c$  axis has been revealed (for Cu-substituted compound the magnetic moment in this direction is larger than perpendicular moment and the increasing of the magnetization in the ordered phase is observed). There are slight changes of the field dependencies behavior – the lowering of spin-flop field from  $H_{sf}=24$  kOe (for  $\text{Mn}_2\text{BO}_4$ ) to  $H_{sf}=21$  kOe (for copper-contained sample). However despite all these changes the main behavior of the magnetic properties remains the same – there are anisotropy of magnetization in paramagnetic phase,

the antiferromagnetic ordering type is preserved (with a slight lowering of the Neel temperature), and spin-flop transition is present as for unsubstituted  $\text{Mn}_2\text{BO}_4$ .

Magnetic properties of some  $\text{Mn}^{2+}_{2-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_5$  oxyborates with ludwigite structure have been already described in detail earlier [17, 23]. Microscopic magnetic structure of one of the compound ( $\text{Cu}_2\text{MnBO}_5$ ) has been studied using powder neutron diffraction [17].  $\text{Cu}_2\text{MnBO}_5$  and  $\text{Cu}_{1.5}\text{Mn}_{1.5}\text{BO}_5$  ludwigites are characterized by ferrimagnetic ordering below the temperatures  $T_c=90\div92$  K, large canting of magnetic moments and by presence of the anisotropy as in paramagnetic as in ferromagnetic phase. Due to that these compounds are significantly differ from the others ludwigites [17, 23].

In order to show the difference of the magnetic properties behavior of the compounds with ludwigite and warwickite structures we also presents in this work the thermal-field magnetization dependencies of  $\text{Cu}_2\text{MnBO}_5$  described in detail in [17].




Figure 5. (a) Thermal dependencies of magnetization of  $\text{Cu}_2\text{MnBO}_5$  oxyborate with ludwigite structure obtained at  $H=1$  kOe,  $H//c$ ,  $H\perp c$  for FC (measurements of the magnetization at cooling at nonzero magnetic field), FH (measurements of the magnetization at heating at nonzero magnetic field, after pre-cooling at nonzero magnetic field) and ZFC (measurements of the magnetization at heating at nonzero magnetic field, after pre-cooling at zero magnetic field) regimes (inset (a): thermal dependencies of magnetization at  $H=0.2$  kOe,  $H//c$ ,  $H\perp c$ ). (b)

Magnetic field dependence of magnetization of  $\text{Cu}_2\text{MnBO}_5$  oxyborate with ludwigite structure obtained at  $T=4$  K,  $H\perp c$ .

The analysis of the thermal-field magnetization dependencies of  $\text{Cu}_2\text{MnBO}_5$  ludwigite has revealed the paramagnet-ferrimagnet phase transition at  $T_c=92$  K. And, below the temperature of this phase transition in a low magnetic field (up to  $H=1$  kOe) there is one more anomaly of the magnetization – there are some inflection points on the FC, FH and ZFC curves. This anomaly significantly depends on the value of applied magnetic field and associates with spin-reorientational transition [17]. Unlike  $\text{Mn}^{2+}_{1-x}\text{Cu}_x\text{Mn}^{3+}\text{BO}_4$  ( $x=0.18$ ) warwickite in Cu-Mn ludwigites there is magnetic anisotropy not only for different orientations of the external magnetic field but also for FC and ZFC dependencies at low temperature range.

### III. Discussion and Conclusions

The present work is completely devoted to the study of the manganese oxide 3+ ( $\text{Mn}_2\text{O}_3$ ) behavior in the bismuth-boron flux systems diluted by  $\text{MoO}_3$  oxide and  $\text{Na}_2\text{CO}_3$  carbonate. This investigation is an important step to the obtaining of the single crystals of Mn-heterovalent oxyborates with the structures of warwickite and ludwigite natural minerals.

The special studying of the crystallization peculiarities of (1-6) systems was necessary due to the thermal decomposition of manganese oxide 3+ ( $\text{Mn}_2\text{O}_3$ ) to the manganese oxide (2+, 3+)  $\text{Mn}_3\text{O}_4$  at high working temperatures (1100°C) [13]. So, without an additional instrument it is very difficult or even impossible to control the composition of di- and trivalent manganese in the flux. It can cause the crystallization of the compounds with the  $\text{Mn}^{3+}$  and  $\text{Mn}^{2+}$  cations content uncertainty. And in the case of Cu-Mn-containing oxyborates the content uncertainty can lead to the significant change of the properties

This work is focused on the assumption of the arising of the intermediate chemical bonds between the components of multi-component flux system. That mechanism allows to affect the manganese cations (2+, 3+) valence state even at high temperature. The research experimentally showed the influence of the bismuth trimolibdate ( $\text{Bi}_2\text{Mo}_3\text{O}_{12}$ ) to the high-temperature crystallizing phase. It was (without adding of sodium carbonate in (1) and (2))  $\text{MnMoO}_4$  oxide where the manganese has only 2+ valence state. That is there is no trivalent manganese in crystallizing compound despite the using  $\text{Mn}_2\text{O}_3$  ( $\text{Mn}^{3+}$ ) oxide. Crystallization of  $\text{MnMoO}_4$  directly proves the formation of the chemical bond ( $\text{MnMoO}_4$  oxide – type) that should realize and at the warwickite and ludwigite crystallization.

After the addition of sodium carbonate ( $\text{Na}_2\text{CO}_3 - \text{Na}_2\text{O}$  is not bounded by  $\text{B}_2\text{O}_3$  in  $\text{Na}_2\text{B}_4\text{O}_7$ ) to the system (1) the situation totally changes – the high-temperature crystallizing phase is manganese warwickite (system (5)) where the manganese is presented by divalent and trivalent cations. So, the addition of sodium carbonate gives rise to formation of trivalent manganese phase. For better studying of this phenomenon the set of the experiment in the system (3) has been performed: the oxides  $\text{Mn}_2\text{O}_3$  and  $\text{Na}_2\text{O}$  were dissolved in the melt of  $\text{Bi}_2\text{Mo}_3\text{O}_{12}-\text{Na}_2\text{B}_4\text{O}_7$ . It was showed experimentally that the composition of the crystallizing compounds corresponds to the occurrence of the chemical bonds of  $\text{NaMnO}_2$  delafossite type (4) in which the manganese has only 3+ valence state. This conclusion has made on the basis of  $\text{Mn}_2^{3+}\text{O}_3$  and  $\text{Mn}_2^{3+}\text{Mn}^{2+}\text{O}_4$  oxides crystallization. When the weight coefficients of  $\text{Mn}_2\text{O}_3$  and  $\text{Na}_2\text{O}$  (4) are equal the only crystallizing phase is (3+) manganese oxide ( $\text{Mn}_2^{3+}\text{O}_3$ ). If a lack of  $\text{Na}_2\text{O}$  takes place in the flux there is the case of simultaneous crystallization of  $\text{Mn}_2^{3+}\text{O}_3$  and  $\text{Mn}_2^{3+}\text{Mn}^{2+}\text{O}_4$  oxides (2+, 3+) or the only phase is  $\text{Mn}_2^{3+}\text{Mn}^{2+}\text{O}_4$  manganese

oxide (2+, 3+). So, the influence of sodium carbonate adding to the trivalent manganese content in the system (1) has been demonstrated experimentally. After the research stage the single crystals of Cu-Mn oxyborates with warwickite and ludwigite structures have been grown.

In the framework of the assumption of the Na<sub>2</sub>O influence to the crystallization of the trivalent manganese containing compounds and of the MoO<sub>3</sub> influence to the crystallization of the divalent manganese containing compounds the works [26] and [18] have been performed. First of them is devoted to Mn<sub>2-x</sub>Fe<sub>x</sub>BO<sub>4</sub> warwickites, the second one – to Cu<sub>2</sub>Mn<sub>1-x</sub>Fe<sub>x</sub>BO<sub>5</sub> ludwigites. In the case of Mn<sub>2-x</sub>Fe<sub>x</sub>BO<sub>4</sub> warwickites a three compounds with different  $x$  have been obtained. The composition of these samples corresponds to the composition of crystal forming oxides in the fluxes in agreement with the X-ray analysis – the ratio of di- and trivalent manganese was controlled by the solvent components. In the case of Cu<sub>2</sub>Mn<sub>1-x</sub>Fe<sub>x</sub>BO<sub>5</sub> ludwigites it was also obtained three compounds with different  $x$ . Structure studying of these samples showed a qualitative correspondence of the real composition to the initial composition of crystal forming oxides.

An important problem is competition of the chemical bonds in flux system (1). Basing on the experimental data obtained in the present work it could be supposed the next hierarchy. At the absence of Na<sub>2</sub>O oxide and presence of MoO<sub>3</sub> oxide the crystallization of Mn<sup>2+</sup>-containing compounds is observed (MnMoO<sub>4</sub>-type bonds). However after adding of Na<sub>2</sub>O the change of the high-temperature crystallizing phase takes place – the Mn<sup>3+</sup>-containing compounds are crystallizing (delafossite-type bonds). So, the delafossite-type bonds are of higher-priority.

It is necessary to note the difference between using the borax Na<sub>2</sub>B<sub>4</sub>O<sub>7</sub> compound and independent Na<sub>2</sub>O·2B<sub>2</sub>O<sub>3</sub> oxides in the solvent. Using borax the addition of “free” Na<sub>2</sub>O oxide is needed for obtaining of Mn<sup>3+</sup>-containing compounds (in our case – the initial chemical is Na<sub>2</sub>CO<sub>3</sub>). Using Na<sub>2</sub>O·2B<sub>2</sub>O<sub>3</sub> oxides mixture (or adding independently) the Mn<sup>3+</sup>-compounds do not need “free” Na<sub>2</sub>O oxide over the borax stoichiometry. That fact also reflects the competing of the chemical bonds in the flux system (1).

The crystallization processes in the flux system (1) have been studied under the varying of  $p$ ,  $q$ ,  $r$ ,  $s$  weight coefficients. Depending on these coefficients (i.e. on the ratio between the flux components) the single crystals of Mn<sup>2+</sup><sub>1-x</sub>Cu<sub>x</sub>MoO<sub>4</sub>, Mn<sup>3+</sup><sub>2</sub>O<sub>3</sub>, Mn<sup>2+</sup>Mn<sup>3+</sup><sub>2</sub>O<sub>4</sub>, Mn<sup>2+</sup><sub>1-x</sub>Cu<sub>x</sub>Mn<sup>3+</sup>BO<sub>4</sub> and Mn<sup>2+</sup><sub>2-x</sub>Cu<sub>x</sub>Mn<sup>3+</sup>BO<sub>5</sub> phases have been obtained. The influence of MoO<sub>3</sub> and Na<sub>2</sub>O components to the composition of the crystallizing phase has been studied – namely to the valence state of Mn<sup>2+</sup> and Mn<sup>3+</sup> manganese cations respectively. Based on the experimental results the assumption about the occurrence of the intermediate chemical bonds of MnMoO<sub>4</sub> and NaMnO<sub>2</sub> types in the flux allowed to affect to the valence states of the manganese cations (2+, 3+) at crystallization of Mn-heterovalent oxyborates was concluded. A hierarchy of the chemical bonds of these types has been established. All the synthesized compounds have been identified using X-ray analysis. The phase composition has been confirmed and the lattice parameters have been determined. The results of the magnetic characterization of Mn<sup>2+</sup><sub>1-x</sub>Cu<sub>x</sub>Mn<sup>3+</sup>BO<sub>4</sub> ( $x=0.18$ ) warwickite and Cu<sub>2</sub>MnBO<sub>5</sub> ludwigite are presented.

## Acknowledgement

This study was supported by Russian Foundation for Basic Research (RFBR) according to the research project No. 17-02-00953 A.

## References

- [1] Daniel E. Bugaris, Hans-Conrad zur Loye, *Angew. Chem. Int. Ed.* **2012**, *51*, 3780 – 3811.
- [2] Zhen Jia, Ningning Zhang, Yingying Ma, Liwei Zhao, Mingjun Xia, and Rukang Li, *Cryst. Growth Des.* **2017**, *17*, 558–562.
- [3] P. Görnert, *Prog. Crystal Growth and Charact.* **1990**, *20*, 263-284.
- [4] Weiguo Zhang, Xutang Tao,\* Chengqian Zhang, Zeliang Gao, Yongzhuan Zhang, Wentao Yu, Xiufeng Cheng, Xuesong Liu, and Minhua Jiang, *Cryst. Growth Des.* **2008**, *8*(1), 304-307.
- [5] E. Pollert, M. Netřiva, S. Durčok, *Prog. Crystal Growth and Charact.* **1991**, *22*, 143-182.
- [6] Valery I. Chani, Kiyoshi Shimamura, Young M. Yu, Tsuguo Fukuda, *Material Science and Engineering* **1997**, *R20*, 281-338.
- [7] N.I. Leonyuk, L.I. Leonyuk, *Prog. Crystal Growth and Charact.* **1995**, *31*, 179-278.
- [8] I.A. Gudim, E.V. Eremin, V.L. Temerov, *Journal of Crystal Growth* **2010**, *312*, 2427-2430.
- [9] Min Huang, Shouye Zhang, *Materials Chemistry and Physics* **2002**, *73*, 314-317.
- [10] Neha Pachauri, Behrouz Khodadadi, Matthias Althammer, Amit V. Singh, B. Loukya, Ranjan Datta, Milko Iliev, Leonard Bezmaternykh, Irina Gudim, Tim Mewes, Arunava Gupta, *Journal of Applied Physics* **2015**, *117*, 233907.
- [11] A.A. Demidov, D.V. Volkov, I.A. Gudim, E.V. Eremin, K.N. Boldyrev, *Journal of Experimental and Theoretical Physics* **2014**, *119* (4), 737-744.
- [12] Evgeniya Moshkina, Alexander Krylov, Svetlana Sofronova, Irina Gudim, Vladislav Temerov, *Cryst. Growth Des.* **2016**, *16*, 6915-6921.
- [13] Kiyoshi Terayama, Masao Ikeda, *Transactions of the Japan Institute of Metals* **1983**, *24* (11), 754-758.
- [14] Van Uiter L.G., Rubin J.J., Bonner W.A., *Journal of the American Ceramic Society – Discussions and Notes* **1963**, *46* (10), 512.
- [15] Bezmaternykh L.N., Kolesnikova E.M., Eremin E.V., Sofronova S.N., Volkov N.V., Molocheev M.S., *Journal of Magnetism and Magnetic Materials* **2014**, *364*, 55-59.
- [16] S.N. Sofronova, L.N. Bezmaternykh, E.M. Eremin, I.I. Nazarenko, N.V. Volkov, A.V. Kartashev, E.M. Moshkina, *Journal of Magnetism and Magnetic Materials* **2016**, *401*, 217-222.
- [17] Evgeniya Moshkina, Clemens Ritter, Evgeniy Eremin, Svetlana Sofronova, Andrey Kartashev, Andrey Dubrovskiy, Leonard Bezmaternykh, *J. Phys.: Condens. Matter.* **2017**, *29*, 245801.
- [18] E.M. Moshkina, M.S. Platunov, Yu.V. Seryotkin, A.F. Bovina, E.V. Eremin, S.N. Sofronova, L.N. Bezmaternykh, *Journal of Magnetism and Magnetic Materials* **2018**, *464*, 1-10.
- [19] Svetlana Sofronova, Evgeniya Moshkina, Ilya Nazarenko, Alexey Veligzhanin, Maxim Molocheev, Evgeniy Eremin, Leonard Bezmaternykh, *Journal of Magnetism and Magnetic Materials* **2018**, *465*, 201-210.



- [20] Norrestam, R., Kritikos, M. and Sjödin, A., *Journal of Solid State Chemistry***1995**, *114*(2), 311-316.
- [21] Bruker AXS TOPAS V4: General profile and structure analysis software for powder diffraction data. – User's Manual. Bruker AXS, Karlsruhe, Germany. **2008**.
- [22] G. M. Sheldrick, *Acta Cryst. A*. **2008**, *64*, 112–122.
- [23] Leonard Bezmaternykh, Evgeniya Moshkina, Evgeniy Eremin, Maxim Molokeev, Nikita Volkov, Yurii Seryotkin, *Solid State Phenomena* **2015**, *233-234*, 133-136.
- [24] N.V. Kazak, M.S. Platunov, Yu.V. Knyazev, N.B. Ivanova, O.A. Bayukov, A.D. Vasiliev, L.N. Bezmaternykh, V.I. Nizhankovskii, S.Yu. Gavrilkin, K.V. Lamonova, S.G. Ovchinnikov, *Journal of Magnetism and Magnetic Materials***2015**, *393*, 316-324.
- [25] Evgeniya Moshkina, Svetlana Sofronova, Alexey Veligzhanin, Maxim Molokeev, Ilya Nazarenko, Evgeniy Eremin, Leonard Bezmaternykh, *Journal of Magnetism and Magnetic Materials* **2016**, *402*, 69-75.
- [26] M.S. Platunov, N.V. Kazak, Yu.V. Knyazev, L.N. Bezmaternykh, E.M. Moshkina, A.L. Trigub, A.A. Veligzhanin, Y.V. Zubavichus, L.A. Solovyov, D.A. Velikanov, S.G. Ovchinnikov, *Journal of Crystal Growth* **2017**, *475*, 239–246.